


View this article online at: patient.info/mens-health/prostate-and-urethra-problems/prostate-specific-antigen-test-psa

Prostate Specific Antigen Test (PSA)

The prostate specific antigen (PSA) test is a blood test to see if you might have prostate cancer and to monitor treatment for prostate cancer.

The PSA blood level is also increased in other conditions. So having an increased PSA test result does not mean that you have prostate cancer. Experts disagree on how useful the PSA test is. There is a lot of ongoing research about PSA. At the moment there is no national screening programme for prostate cancer in the UK.



What is a prostate specific antigen test?

The prostate specific antigen (PSA) test is a blood test that measures the level of PSA in your blood. PSA is made by the prostate gland. The PSA level in your bloodstream is measured in nanograms per millilitre (ng/mL).

When you have a PSA test, you should not have:

- · An active urine infection.
- Produced semen during sex or masturbation (ejaculated) in the previous 48 hours.
- Exercised heavily in the previous 48 hours.
- Had a prostate biopsy in the previous six weeks.
- Had an examination of the back passage with a gloved finger (a digital rectal examination) in the previous week.
- Gay, bisexual, and other men who have sex with men should avoid receptive anal intercourse for 48 hours before a PSA test.

Each of these may produce an unusually high PSA result.

If you decide to have a PSA test, your doctor will give you a digital rectal examination to feel the prostate. This is to find out if the prostate is enlarged or feels abnormal in any way.

Editor's Note

March 2018 - Dr Hayley Willacy draws your attention to the newly released Public Health England advice available in the Further reading section below. The guidance helps GPs give clear and balanced information to men who do not have symptoms when they ask about prostate specific antigen testing. The PSA test is available free to any well man aged 50 and over who requests it. GPs should use their clinical judgement to manage men with symptoms and those aged under 50 who are considered to have higher risk for prostate cancer.

What is a normal result?

The normal range changes as you get older.

| PSA Cut-off Values | | |
|--|---------------------------|--|
| Age (years) | PSA Cut-off | |
| 40-49 | 2.0 nanogram/mL or higher | |
| 50-59 | 3.0 nanogram/mL or higher | |
| 60-69 | 4.0 nanogram/mL or higher | |
| 70 or older | 5.0 nanogram/mL or higher | |
| There are no age-specific reference limits for men older than 80 years of age. | | |

The higher the level of PSA, the more likely it is to be a sign of cancer.

The PSA test can also miss cancer. About 15 in every 100 men who have prostate cancer will have had a normal PSA level. A one-off test is not reliable and repeating the test may provide important information.

What causes a raised prostate specific antigen level?

A raised PSA level may mean you have prostate cancer but about two out of three men with a raised PSA level will not have prostate cancer.

Other conditions may also cause a raised PSA level, including:

- Inability to pass urine, causing an enlarged bladder (acute retention of urine).
- Enlargement of the prostate that is non-cancerous (benign).
- Older age.
- Urine infection.
- Acute prostatitis.
- Transurethral resection of the prostate (TURP) operation. TURP is a prostate operation used if you have benign enlargement of the prostate.
- If you have a tube (catheter) to help pass urine

What happens after a prostate specific antigen test?

If your PSA level is not raised

You are unlikely to have cancer. No immediate further action is needed but you may need further tests to confirm the result.

If your PSA level is slightly raised

You probably do not have cancer. You might need further tests, including more PSA tests.

If your PSA level is definitely raised

Your GP will refer you to see a doctor who is a specialist for you to have further tests to find out if you have prostate cancer. The specialist will discuss with you the options for further investigations, which may include a sample taken (a biopsy) of your prostate gland and an MRI scan.

If prostate cancer is found, what are my options?

For information about the treatment options for prostate cancer, see the separate leaflet called Prostate Cancer.

Further reading & references

- Advising well men aged 50 and over about the PSA test for prostate cancer: information for GPs; Public Health England (2018)
- Prostate cancer; NICE CKS, January 2011 (UK access only)
- Moyer VA; Screening for prostate cancer: U.S. Preventive Services Task Force recommendation statement. Ann Intern Med. 2012 Jul 17;157(2):120-34. doi: 10.7326/0003-4819-157-2-201207170-00459.
- Ilic D, Neuberger MM, Djulbegovic M, et al; Screening for prostate cancer. Cochrane Database Syst Rev. 2013 Jan 31;1:CD004720. doi: 10.1002/14651858.CD004720.pub3.

• Wilt TJ, Ahmed HU; Prostate cancer screening and the management of clinically localized disease. BMJ. 2013 Jan 29;346;f325. doi: 10.1136/bmj.f325.

Disclaimer: This article is for information only and should not be used for the diagnosis or treatment of medical conditions. Patient Platform Limited has used all reasonable care in compiling the information but makes no warranty as to its accuracy. Consult a doctor or other healthcare professional for diagnosis and treatment of medical conditions. For details see our conditions.

| Author: Dr Colin Tidy | Peer Reviewer: Dr Adrian Bonsall | |
|--------------------------|-------------------------------------|----------------------------|
| Document ID: 12689 (v7) | Last Checked: 23/09/2016 | Next Review: 23/09/2019 |

View this article online at: patient.info/mens-health/prostate-and-urethra-problems/prostate-specific-antigen-test-psa Discuss Prostate Specific Antigen Test (PSA) and find more trusted resources at Patient.



Book appointments, order repeat prescriptions and view your medical record online To find out more visit www.patientaccess.com or download the app





© Patient Platform Limited - All rights reserved.